

CONNECT



RESILIENCE

The faux leather that builds luxury into performance

Superior stain resistance

Phthalate-Free

Soft and supple hand

Exceptional durability



GENERAL SPECIFICATIONS

CONTENT	Surface: 100% PVC (7P Phthalate Free) Backing: 100% Polyester
WIDTH	54"
WEIGHT	30 oz per linear yard
ROLL SIZE	30 yards
STAIN RESISTANCE	Resilience



*ACT® Registered Certification Marks

PERFORMANCE SPECIFICATIONS

Abrasion Resistance	100,000+ Double Rubs	ASTM D4157-13 Wyzenbeek
Colorfastness to Light	300 Hours	AATCC 16.3-2014, Option 3
Colorfastness to Crocking	5.0 Wet 5.0 Dry	AATCC 8-2013
Cold Crack	-20° F	CFFA 6a-2010
Bleach Resistance	10% Dilution	AATCC 107-2013, Modified
Sulfide Stain Resistance	Yes	

FLAMMABILITY REQUIREMENTS**

- California Fire Code Technical Bulletin No. 117-2013
- NFPA 260
- UFAC Class I
- FMVSS 302
- Can be special ordered to meet ASTM E-84 Class 1 or A rating
- Can be special ordered to meet IMO 2010 FTP Code, Part 8

Suitable For:

Hospitality, Healthcare, Contract, Education, Residential

Reduced Environmental Impact

- This product does not pose any exposure risks associated with the chemicals in Prop 65
- 7P Phthalate Free / Lead / Heavy Metal Free
- CAL AB-2998 Compliant: Does not contain Flame Retardant Chemicals
- Does not contain Anti-Bacterial/Anti-Microbial chemicals
- BPA Free/TRIS Free/Formaldehyde Free
- Does not contain Conflict Minerals



CARE AND CLEANING

Prompt cleaning is always recommended. Cleaning steps are listed by type of stain.

Regular Cleaning and Maintenance

Clean the soiled area with mild soap and water, then rinse with fresh water and wipe dry with a clean cloth.	Dirt Grime
--	---------------

Food Stains / Oils

Wipe affected area with a soft cloth or soft bristle brush using a non-abrasive cleaner, for example Formula 409 or Fantastik. Rinse with fresh water and wipe dry.	Ketchup Chocolate Soy Sauce Salad Dressing
---	---

Healthcare

Clean the soiled area with a 10% solution of household bleach and water. It is important to rinse the cleaned area with fresh water after applying the bleach solution.	Blood Urine Betadine Iodine
---	--------------------------------------

Difficult Stains

Clean the soiled area with a 50% solution of Isopropyl Alcohol (Rubbing Alcohol) and water. It is important to rinse the cleaned area with fresh water after applying the alcohol solution.	Mascara Lipstick Hairspray Grease Motor Oil Coffee
---	---

The use of commercial vinyl conditioners and protectants is not recommended.

Note: The information in this cleaning guide refers to performance in specific tests conducted under laboratory conditions. This information is not a guarantee that every stain will be removed completely. Some residual ghosting may be present after all cleaning steps are followed.

Resilience is a brand of Nassimi LLC

For up to date specifications, please check our website.

** This term and any corresponding data refer to typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.